



## *The Public Service Commission State of South Carolina*

Jocelyn G. Boyd  
Chief Clerk/Administrator  
Phone: (803) 896-5133  
Fax: (803) 896-5246

COMMISSIONERS  
G. O'Neal Hamilton, Seventh District  
*Chairman*  
Nikiya "Nikki" Hall, Sixth District  
*Vice Chairman*  
John E. "Butch" Howard, First District  
Brent L. McGee, Second District  
Comer H. "Randy" Randall, Third District  
Elizabeth B. "Lib" Fleming, Fourth District  
Swain E. Whitfield, Fifth District

Clerk's Office  
Phone: (803) 896-5100  
Fax: (803) 896-5199

January 16, 2014

Scott Elliott, Esquire  
Elliott & Elliott, P.A.  
1508 Lady Street  
Columbia, SC 2901

IN RE: Docket No. 2014-26-W - Application of Carolina Water Service, Inc. for Approval of a Water Service Connection Agreement for Indian Pines Subdivision, Public Water System No. 3250051, with the City of West Columbia

Dear Mr. Elliott:

Enclosed herewith is the Notice of Filing concerning the above-captioned Docket. In order to proceed with the processing of this matter, it will be necessary for you to accomplish the following:

1. Publish at your own expense, on or before **January 28, 2014**, the enclosed Notice in newspapers of general circulation in the affected areas, one time and provide the undersigned Proof of Publication on or before **February 18, 2014**.
2. Furnish at your own expense, on or before **January 28, 2014**, by U.S. Mail, or by electronic mail to those customers who have agreed to receive their notices by way of electronic mail, the enclosed Notice to each customer and provide a certification to the Commission on or before **February 18, 2014**, that this notification has been furnished.

Failure to comply with the above on or before the dates indicated may result in the **DISMISSAL** of your pleading.

**Please carefully review the Notice. If the Notice is not to your satisfaction or if you find any errors, please notify us before publishing.**

In the meantime, if you should require additional information, please advise.

Sincerely,

Clerk's Office

cba  
Enclosures: